James Kidder
Main Library
Box 2008 Bldg. 4500N MS-6191
865-576-0535
kidderjh@ornl.gov

DAAC Citations for the Calendar Year 2008

Prepared for Bob Cook March 6, 2009

Total Number of Citations: 122

Allard, V., Ourcival, J. M., Rambal, S., Joffre, R., & Rocheteau, A. (2008). Seasonal and annual variation of carbon exchange in an evergreen Mediterranean forest in southern France. *Global Change Biology, 14*(4), 714-725.

Alton, P. B. (2008). Reduced carbon sequestration in terrestrial ecosystems under overcast skies compared to clear skies. *Agricultural and Forest Meteorology, 148*(10), 1641-1653.

Aranibar, J. N., Anderson, I. C., Epstein, H. E., Feral, C. J. W., Swap, R. J., Ramontsho, J., & Macko, S. A. (2008). Nitrogen isotope composition of soils, C-3 and C-4 plants along land use gradients in southern Africa. *Journal of Arid Environments, 72*(4), 326-337.

Araujo, A. C., Kruijt, B., Nobre, A. D., Dolman, A. J., Waterloo, M. J., Moors, E. J., & Souza, J. S. (2008). NOCTURNAL ACCUMULATION OF CO2 UNDERNEATH A TROPICAL FOREST CANOPY ALONG A TOPOGRAPHICAL GRADIENT. *Ecological Applications, 18*(6), 1406-1419.

Bai, Z. G., Dent, D. L., Olsson, L., & Schaepman, M. E. (2008). *Global assessment of land degradation and improvement 1: identification by remote sensing* (No. Report 2008.01, ISRIC - World Soil Information). Wageningen: Food and Agriculture Organization of the United Nations.

Bessagnet, B., Menut, L., Aymoz, G., Chepfer, H., & Vautard, R. (2008). Modeling dust emissions and transport within Europe: The Ukraine March 2007 event. *J. Geophys. Res, 113*, online.

Bidau, C. J., & Marti, D. A. (2008). Un test de la regla de Allen en ectotermos: el caso de dos Saltamontes Melanoplinos (Orthoptera: Acrididae) sudamericanos con distribuciones Geográficas parcialmente solapadas. *Neotrop. entomol, 37*(4), 370-380.

Bulte, E. H., Boone, R. B., Stringer, R., & Thornton, P. K. (2008). Elephants or onions? Paying for nature in Amboseli, Kenya. *Environment and Development Economics, 13*(03), 395-414.

Campbell, A., Lysenko, L, Hughes, A. Gibbs, H. (2008). *Carbon Storage in Protected Areas-Technical Report*. New York: United National Environmental Program World Conservation Monitoring Centre.

Chand, D., Anderson, T. L., Wood, R., Charlson, R. J., Hu, Y., Liu, Z., & Vaughan, M. (2008). Quantifying above-cloud aerosol using spaceborne lidar for improved understanding of cloudy-sky direct climate forcing. *Journal of Geophysical Research-Atmospheres, 113*(D13).

Chasmer, L., Barr, A., Hopkinson, C., McCaughey, H., Treitz, P., Black, A., & Shashkov, A. (2009). Scaling and assessment of GPP from MODIS using a combination of airborne lidar and eddy covariance measurements over jack pine forests. *Remote Sensing of Environment, 113*(1), 82-93.

Chasmer, L., Hopkinson, C., Treitz, P., McCaughey, H., Barr, A., & Black, A. (2008). A lidar-based hierarchical approach for assessing MODIS fPAR. *Remote Sensing of Environment, 112*(12), 4344-4357.

Chasmer, L. E. (2008). *Canopy structural and meteorological influences on CO2 exchange for MODIS product validation in a boreal jack pine chronosequence.* Queen's University, Ontario.

Chen, W. T., Kahn, R. A., Nelson, D., Yau, K., & Seinfeld, J. H. (2008). Sensitivity of multiangle imaging to the optical and microphysical properties of biomass burning aerosols. *Journal of Geophysical Research-Atmospheres, 113*(D10).

Chuvieco, E. (2008). Satellite Observation of Biomass Burning. In *Earth Observation of Global Change* (pp. 109-142). Amsterdam: Springer.

Chuvieco, E., & Justice, C. (2008). NASA Earth Observation Satellite Missions for Global Change Research. In *Earth Observation of Global Change* (pp. 23-47). Amsterdam: Springer.

Ciais, P., Piao, S. L., Cadule, P., Friedlingstein, P., & Chédin, A. (2008). Variability and recent trends in the African carbon balance. *Biogeosciences Discuss, 5*, 3497-3532.

Clark, D. B., Olivas, P. C., Oberbauer, S. F., Clark, D. A., & Ryan, M. G. (2008). First direct landscape-scale measurement of tropical rain forest Leaf Area Index, a key driver of global primary productivity. *Ecology Letters, 11*(2), 163-172.

Combalicer, E., Lee, S., Ahn, S., Kim, D., & Im, S. (2008). Modeling water balance for the small-forested watershed in Korea. *KSCE Journal of Civil Engineering, 12*(5), 339-348.

Corbin, K. D., Denning, A. S., & Parazoo, N. C. (2008). Assessing temporal clear-sky errors in assimilation of satellite CO 2 retrievals using a global transport model. *Atmos. Chem. Phys. Discuss, 8*, 12887-12901.

Del Grosso, S., Parton, W., Stohlgren, T., Zheng, D., Bachelet, D., Prince, S., Hibbard, K., & Olson, R. (2008). GLOBAL POTENTIAL NET PRIMARY PRODUCTION PREDICTED FROM VEGETATION CLASS, PRECIPITATION, AND TEMPERATURE. *Ecology, 89*(8), 2117-2126.

Delire, C., Ngomanda, A., & Jolly, D. (2008). Possible impacts of 21st century climate on vegetation in Central and West Africa. *Global and Planetary Change, 64*(1-2), 3-15.

Deyong, Y., Wenquan, Z., & Yaozhong, P. (2008). The role of atmospheric circulation system playing in coupling relationship between spring NPP and precipitation in East Asia area. *Environmental Monitoring and Assessment, 145*(1-3), 135-143.

El Maayar, M., Chen, J. M., & Price, D. T. (2008). On the use of field measurements of energy fluxes to evaluate land surface models. *Ecological Modelling, 214*(2-4), 293-304.

Finnigan, J. (2008). AN INTRODUCTION TO FLUX MEASUREMENTS IN DIFFICULT CONDITIONS. *Ecological Applications, 18*(6), 1340-1350.

Fisher, J. B., Tu, K. P., & Baldocchi, D. D. (2008). Global estimates of the land-atmosphere water flux based on monthly AVHRR and ISLSCP-II data, validated at 16 FLUXNET sites. *Remote Sensing of Environment, 112*(3), 901-919.

Ganguly, S. (2008). *EARTH SYSTEM DATA RECORDS OF VEGETATION LEAF AREA INDEX FROM MULTIPLE SATELLITE-BORNE SENSORS.* Boston University, Boston.

Ganguly, S., Samanta, A., Schull, M. A., Shabanov, N. V., Milesi, C., Nemani, R. R., Knyazikhin, Y., & Myneni, R. B. (2008). Generating vegetation leaf area index Earth system data record from multiple sensors. Part 2: Implementation, analysis and validation. *Remote Sensing of Environment, 112*(12), 4318-4332.

Giambelluca, T. W., Martin, R. E., Asner, G. P., Huang, M., Mudd, R. G., Nullet, M. A., DeLay, J. K., & Foote, D. (2009). Evapotranspiration and energy balance of native wet montane cloud forest in Hawai'i. *Agricultural and Forest Meteorology, 149*(2), 230-243.

Gibelin, A. L., Calvet, J. C., & Viovy, N. (2008). Modelling energy and CO2 fluxes with an interactive vegetation land surface model-Evaluation at high and middle latitudes. *Agricultural and Forest Meteorology, 148*(10), 1611-1628.

Girardin, M. P., Raulier, F., Bernier, P. Y., & Tardif, J. C. (2008). Response of tree growth to a changing climate in boreal central Canada: A comparison of empirical, process-based, and hybrid modelling approaches. *Ecological Modelling, 213*(2), 209-228.

Govind, A. (2008). *Spatially Explicit Modeling of Hydrologically Controlled Carbon Cycles in a Boreal Ecosystem.*

Guan, H., Chatfield, R. B., Freitas, S. R., Bergstrom, R. W., & Longo, K. M. (2008). Modeling the effect of plume-rise on the transport of carbon monoxide over Africa with NCAR CAM. *Atmospheric Chemistry and Physics, 8*(22), 6801-6812.

Hari, P., & Kulmala, L. (2008). Structure. In *Boreal Forest and Climate Change* (pp. 89-142). Amsterdam: Springer.

Harris, N. L., Hall, C. A. S., & Lugo, A. E. (2008). Estimates of species- and ecosystem-level respiration of woody stems along an elevational gradient in the Luquillo Mountains, Puerto Rico. *Ecological Modelling, 216*(3-4), 253-264.

Haywood, J. M., Pelon, J., Formenti, P., Bharmal, N., Brooks, M., Capes, G., Chazette, P., Chou, C., Christopher, S., Coe, H., Cuesta, J., Derimian, Y., Desboeufs, K., Greed, G., Harrison, M., Heese, B., Highwood, E. J., Johnson, B., Mallet, M., Marticorena, B., Marsham, J., Milton, S., Myhre, G., Osborne, S. R., Parker, D. J., Rajot, J. L., Schulz, M., Slingo, A., Tanre, D., & Tulet, P. (2008). Overview of the Dust and Biomass-burning Experiment and African Monsoon Multidisciplinary Analysis Special Observing Period-0. *Journal of Geophysical Research-Atmospheres, 113*.

Heese, B., & Wiegner, M. (2008). Vertical aerosol profiles from Raman polarization lidar observations during the dry season AMMA field campaign. *Journal of Geophysical Research-Atmospheres, 113*(D17).

Hill, T. C., Williams, M., & Moncrieff, J. B. (2008). Modeling feedbacks between a boreal forest and the planetary boundary layer. *Journal of Geophysical Research-Atmospheres, 113*(D15).

Huang, D., Knyazikhin, Y., Wang, W., Deering, D. W., Stenberg, P., Shabanov, N., Tan, B., & Myneni, R. B. (2008). Stochastic transport theory for investigating the three-dimensional canopy structure from space measurements. *Remote Sensing of Environment, 112*(1), 35-50.

Huete, A. R., Restrepo-Coupe, N., Ratana, P., Didan, K., Saleska, S. R., Ichii, K., Panuthai, S., & Gamo, M. (2008). Multiple site tower flux and remote sensing comparisons of tropical forest dynamics in Monsoon Asia. *Agricultural and Forest Meteorology, 148*(5), 748-760.

Hungershoefer, K., Zeromskiene, K., Iinuma, Y., Helas, G., Trentmann, J., Trautmann, T., Parmar, R. S., Wiedensohler, A., Andreae, M. O., & Schmid, O. (2008). Modelling the optical properties of fresh biomass burning aerosol produced in a smoke chamber: results from the EFEU campaign. *Atmospheric Chemistry and Physics, 8*(13), 3427-3439.

Ichii, K., White, M. A., Votava, P., Michaelis, A., & Nemani, R. R. (2008). Evaluation of snow models in terrestrial biosphere models using ground observation and satellite data: impact on terrestrial ecosystem processes. *Hydrological Processes, 22*(3), 347-355.

Ise, T., Dunn, A. L., Wofsy, S. C., & Moorcroft, P. R. (2008). High sensitivity of peat decomposition to climate change through water-table feedback. *Nature Geoscience, 1*(11), 763-766.

Ise, T., & Moorcroft, P. R. (2008). Quantifying local factors in medium-frequency trends of tree ring records: Case study in Canadian boreal forests. *Forest Ecology and Management, 256*(1-2), 99-105.

Jiang, Z. Y., Huete, A. R., Didan, K., & Miura, T. (2008). Development of a two-band enhanced vegetation index without a blue band. *Remote Sensing of Environment, 112*(10), 3833-3845.

Johnson, B. T., Heese, B., McFarlane, S. A., Chazette, P., Jones, A., & Bellouin, N. (2008). Vertical distribution and radiative effects of

mineral dust and biomass burning aerosol over West Africa during DABEX. *Journal of Geophysical Research-Atmospheres, 113*(D17).

Kara, A. B., Wallcraft, A. J., Hurlburt, H. E., & Stanev, E. V. (2008). Air-sea fluxes and river discharges in the Black Sea with a focus on the Danube and Bosphorus. *Journal of Marine Systems, 74*(1-2), 74-95.

Keenan, T., Sabaté, S., & Gracia, C. (2008). Forest Eco-physiological Models and Carbon Sequestration. In *Managing Forest Ecosystems: The Challenge of Climate Change* (Vol. 17). Amsterdam: Springer.

Kiwango, Y. A., & Wolanski, E. (2008). Papyrus wetlands, nutrients balance, fisheries collapse, food security, and Lake Victoria level decline in 2000–2006. *Wetlands Ecology and Management, 16*(2), 89-96.

Kleynhans, E., & Terblanche, J. S. (2009). The evolution of water balance in *Glossina (Diptera: Glossinidae)*: correlations with climate. *Biology Letters, 5*(1), 93-96.

Kodama, N., Barnard, R., Salmon, Y., Weston, C., Ferrio, J., Holst, J., Werner, R., Saurer, M., Rennenberg, H., Buchmann, N., & Gessler, A. (2008). Temporal dynamics of the carbon isotope composition in a Pinus sylvestris stand: from newly assimilated organic carbon to respired carbon dioxide. *Oecologia, 156*(4), 737-750.

Kooistra, L., Wamelink, W., Schaepman-Strub, G., Schaepman, M., van Dobben, H., Aduaka, U., & Batelaan, O. (2008). Assessing and predicting biodiversity in a floodplain ecosystem: Assimilation of net primary production derived from imaging spectrometer data into a dynamic vegetation model. *Remote Sensing of Environment, 112*, 2118-2130.

Koven, C. D., & Fung, I. (2008). Identifying global dust source areas using high-resolution land surface form. *Journal of Geophysical Research, 113*(D22).

Kozak, K. H., Graham, C. H., & Wiens, J. J. (2008). Integrating GIS-based environmental data into evolutionary biology. *Trends in Ecology & Evolution, 23*(3), 141-148.

Kurz, W. A., Dymond, C. C., White, T. M., Stinson, G., Shaw, C. H., Rampley, G. J., Smyth, C., Simpson, B. N., Neilson, E. T., Trofymow, J. A., Metsaranta, J., & Apps, M. J. (2009). CBM-CFS3: A model of carbon-dynamics in forestry and land-use change implementing IPCC standards. *Ecological Modelling, 220*(4), 480-504.

Kutsch, W. L., Hanan, N., Scholes, B., McHugh, I., Kubheka, W., Eckhardt, H., & Williams, C. (2008). Response of carbon fluxes to water relations in a savanna ecosystem in South Africa. *Biogeosciences, 5*(6), 1797-1808.

Kwon, H., Pendall, E., Ewers, B. E., Cleary, M., & Naithani, K. (2008). Spring drought regulates summer net ecosystem CO2 exchange in a sagebrush-steppe ecosystem. *Agricultural and Forest Meteorology,*

148(3), 381-391.
Lagergren, F., Lindroth, A., Dellwik, E., Ibrom, A., Lankreijer, H., Launiainen, S., Molder, M., Kolari, P., Pilegaard, K. I. M., & Vesala, T. (2008). Biophysical controls on CO2 fluxes of three Northern forests based on long-term eddy covariance data. *Tellus B, 60*(2), 143-152.
Lawrence, D. M., & Slater, A. G. (2008). Incorporating organic soil into a global climate model. *Climate Dynamics, 30*(2), 145-160.
Littell, J. S., Peterson, D. L., & Tjoelker, M. (2008). DOUGLAS-FIR GROWTH IN MOUNTAIN ECOSYSTEMS: WATER LIMITS TREE GROWTH FROM STAND TO REGION. *Ecological Monographs, 78*(3), 349-368.
Longdoz, B., Gross, P., & Granier, A. (2008). Multiple quality tests for analysing CO2 fluxes in a beech temperate forest. *Biogeosciences, 5*(3), 719-729.
Longuevergne, L. (2008). *Contribution l'Hydrogeodesie.*
Loos, S., Middelkoop, H., Perk, M. v. d., & Beek, R. v. (2009). Large scale nutrient modelling using globally available datasets: a test for the Rhine basin. *Journal of Hydrology, In Press, Accepted Manuscript.*
Ludwig, W., Dumont, E., Meybeck, M., & Heussner, S. River discharges of water and nutrients to the Mediterranean and Black Sea: Major drivers for ecosystem changes during past and future decades? *Progress In Oceanography, In Press, Accepted Manuscript.*
Magi, B. I., Fu, Q., Redemann, J., & Schmid, B. (2008). Using aircraft measurements to estimate the magnitude and uncertainty of the shortwave direct radiative forcing of southern African biomass burning aerosol. *Journal of Geophysical Research-Atmospheres, 113*(D5).
Mahadevan, P., Wofsy, S. C., Matross, D. M., Xiao, X. M., Dunn, A. L., Lin, J. C., Gerbig, C., Munger, J. W., Chow, V. Y., & Gottlieb, E. W. (2008). A satellite-based biosphere parameterization for net ecosystem CO2 exchange: Vegetation Photosynthesis and Respiration Model (VPRM). *Global Biogeochemical Cycles, 22*(2).
Malenovsk˝, Z., Martin, E., Homolov·, L., Gastellu-Etchegorry, J.-P., Zurita-Milla, R. l., Schaepman, M. E., Pokorn˝, R., Clevers, J. G. P. W., & CudlÌn, P. (2008). Influence of woody elements of a Norway spruce canopy on nadir reflectance simulated by the DART model at very high spatial resolution. *Remote Sensing of Environment, 112*(1), 1-18.
Malhi, Y., & Román-Cuesta, R. M. (2008). Analysis of lacunarity and scales of spatial homogeneity in IKONOS images of Amazonian tropical forest canopies. *Remote Sensing of Environment, 112*, 2074-2087.
Mallet, M., Pont, V., Liousse, C., Gomes, L., Pelon, J., Osborne, S., Haywood, J., Roger, J. C., Dubuisson, P., Mariscal, A., Thouret, V., & Goloub, P. (2008). Aerosol direct radiative forcing over Djougou

(northern Benin) during the African Monsoon Multidisciplinary Analysis dry season experiment (Special Observation Period-0). *Journal of Geophysical Research-Atmospheres, 113*.

Maselli, F., Chiesi, M., Fibbi, L., & Moriondo, M. (2008). Integration of remote sensing and ecosystem modelling techniques to estimate forest net carbon uptake. *International Journal of Remote Sensing, 29*(8), 2437-2443.

Matese, A., Alberti, G., Gioli, B., Toscano, P., Vaccari, F. P., & Zaldei, A. (2008). Compact_Eddy: A compact, low consumption remotely controlled eddy covariance logging system. *Computers and Electronics in Agriculture, 64*, 343-346.

Matichuk, R. I., Colarco, P. R., Smith, J. A., & Toon, O. B. (2008). Modeling the transport and optical properties of smoke plumes from South American biomass burning. *Journal of Geophysical Research-Atmospheres, 113*(D7).

Michaletz, S. T., & Johnson, E. A. (2008). A biophysical process model of tree mortality in surface fires. *Canadian Journal of Forest Research, 38*(7), 2013-2029.

Myhre, G., Hoyle, C. R., Berglen, T. F., Johnson, B. T., & Haywood, J. M. (2008). Modeling of the solar radiative impact of biomass burning aerosols during the Dust and Biomass-burning Experiment (DABEX). *Journal of Geophysical Research-Atmospheres, 113*.

NASA. (2008). *NASA Earth Science Data and Services: Freezing in a warming world*.

Nicault, A., Alleaume, S., Brewer, S., Carrer, M., Nola, P., & Guiot, J. (2008). Mediterranean drought fluctuation during the last 500 years based on tree-ring data. *Climate Dynamics, 31*(2-3), 227-245.

Olofsson, P., Lagergren, F., Lindroth, A., Lindström, J., Klemedtsson, L., Kutsch, W., & Eklundh, L. (2008). Towards operational remote sensing of forest carbon balance across Northern Europe. *Biogeosciences, 5*(3), 817-832.

Osborne, S. R., Johnson, B. T., Haywood, J. M., Baran, A. J., Harrison, M. A. J., & McConnell, C. L. (2008). Physical and optical properties of mineral dust aerosol during the Dust and Biomass-burning Experiment. *Journal of Geophysical Research-Atmospheres, 113*.

Patra, P. K., Law, R. M., Peters, W., Roedenbeck, C., Takigawa, M., Aulagnier, C., Baker, I., Bergmann, D. J., Bousquet, P., Brandt, J., Bruhwiler, L., Cameron-Smith, P. J., Christensen, J. H., Delage, F., Denning, A. S., Fan, S., Geels, C., Houweling, S., Imasu, R., Karstens, U., Kawa, S. R., Kleist, J., Krol, M. C., Lin, S. J., Lokupitiya, R., Maki, T., Maksyutov, S., Niwa, Y., Onishi, R., Parazoo, N., Pieterse, G., Rivier, L., Satoh, M., Serrar, S., Taguchi, S., Vautard, R., Vermeulen, A. T., & Zhu, Z. (2008). TransCom model simulations of hourly atmospheric CO2: Analysis of synoptic-scale variations for the period 2002-2003. *Global Biogeochemical Cycles, 22*(4).

Polop, F., Provensal, C., Scavuzzo, M., Lamfri, M., Calderón, G., & Polop, J. (2008). On the relationship between the environmental history and the epidemiological situation of Argentine hemorrhagic fever. *Ecological Research, 23*(1), 217-225.

Prieto-Blanco, A., North, P. R. J., Barnsley, M. J., & Fox, N. (2009). Satellite-driven modelling of Net Primary Productivity (NPP): Theoretical analysis. *Remote Sensing of Environment, 113*(1), 137-147.

Propastin, P. A., Kappas, M., & Muratova, N. R. (2008). A remote sensing based monitoring system for discrimination between climate and human-induced vegetation change in Central Asia. *Management of Environmental Quality: An International Journal, 19*(5), 579-596.

Qu, Y. H., Wang, J. D., Wan, H. W., Li, X. W., & Zhou, G. Q. (2008). A Bayesian network algorithm for retrieving the characterization of land surface vegetation. *Remote Sensing of Environment, 112*(3), 613-622.

Ralison, O. H., Borges, A. V., Dehairs, F., Middelburg, J. J., & Bouillon, S. (2008). Carbon biogeochemistry of the Betsiboka estuary (north-western Madagascar). *Organic Geochemistry, 39*(12), 1649-1658.

Raut, J. C., & Chazette, P. (2008). Radiative budget in the presence of multi-layered aerosol structures in the framework of AMMA SOP-0. *Atmospheric Chemistry and Physics, 8*(22), 6839-6864.

Reay, D. S., Dentener, F., Smith, P., Grace, J., & Feely, R. A. (2008). Global nitrogen deposition and carbon sinks. *Nature Geoscience, 1*, 430-437.

Reed, K. D., Meece, J. K., Archer, J. R., & Peterson, A. T. (2008). Ecologic Niche Modeling of Blastomyces dermatitidis in Wisconsin. *PLoS ONE, 3*(4), online.

Robles-Gonzalez, C., & de Leeuw, G. (2008). Aerosol properties over the SAFARI-2000 area retrieved from ATSR-2. *Journal of Geophysical Research-Atmospheres, 113*(D5).

Sanchez, J. M., Caselles, V., NiclÚs, R., Coll, C., & Kustas, W. P. Estimating energy balance fluxes above a boreal forest from radiometric temperature observations. *Agricultural and Forest Meteorology, In Press, Corrected Proof.*

Sawunyama, T., & Hughes, D. A. (2008). Application of sattelite-derived rainfall esitmates to extend water resource simulation modelling in South Africa. *Water SA, 34*(1), 1-9.

Schenk, H. J. (2008). The Shallowest Possible Water Extraction Profile: A Null Model for Global Root Distributions. *Vadose Zone Journal, 7*(3), 1119-1124.

Schwendenmann, L., & Pendall, E. (2008). Response of soil organic matter dynamics to conversion from tropical forest to grassland as determined by long-term incubation. *Biology and Fertility of Soils, 44*(8), 1053-1062.

Seidling, W., Fischer, R., & Granke, O. (2008). Relationships between forest floor vegetation on ICP Forests monitoring plots in Europe and basic variables in soil and nitrogen deposition. *International Journal of Environmental Studies, 65*(3), 311-322.

Sims, D. A., Rahman, A. F., Cordova, V. D., El-Masri, B. Z., Baldocchi, D. D., Bolstad, P. V., Flanagan, L. B., Goldstein, A. H., Hollinger, D. Y., & Misson, L. (2008). A new model of gross primary productivity for North American ecosystems based solely on the enhanced vegetation index and land surface temperature from MODIS. *Remote Sensing of Environment, 112*(4), 1633-1646.

Smal, H., & Olszewska, M. (2008). The effect of afforestation with Scots pine (Pinus silvestris L.) of sandy post-arable soils on their selected properties. II. Reaction, carbon, nitrogen and phosphorus. *Plant and Soil, 305*(1), 171-187.

Song, C., Lord, J. W., Zhou, L., & Xiao, J. (2008). Empirical Evidence for Impacts of Internal Migration on Vegetation Dynamics in China from 1982 to 2000. *Sensors, 8*, 5069-5080.

Soulis, E. D., & Seglenieks, F. R. (2008). The MAGS Integrated Modeling System. In *Cold Region Atmospheric and Hydrologic Studies. The Mackenzie GEWEX Experience* (pp. 445-473). Amsterdam: Springer.

Su, F., Hong, Y., & Lettenmaier, D. P. (2008). Evaluation of TRMM Multi-Satellite Precipitation Analysis (TMPA) and Its Utility in Hydrologic Prediction in the La Plata Basin. *Journal of Hydrometeorology, 9*(4), 622-640.

Tardif, J. C., Conciatori, F., & Leavitt, S. W. (2008). Tree rings, [delta]13C and climate in Picea glauca growing near Churchill, subarctic Manitoba, Canada. *Chemical Geology, 252*(1-2), 88-101.

Teobaldelli, M., Somogyi, Z., Migliavacca, M., & Usoltsev, V. A. (2008). Generalized functions of biomass expansion factors for conifers and broadleaved by stand age, growing stock and site index. *Forest Ecology and Management, 257*, 1004-1013.

Ter Maat, H. W., & Hutjes, R. W. A. (2008). Simulating carbon exchange using a regional atmospheric model coupled to an advanced land-surface model. *Biogosciences Discussion, 5*, 4161-4207.

Ueyama, M., Harazono, Y., Kim, Y., & Tanaka, N. (2008). Response of the carbon cycle in sub-arctic black spruce forests to climate change: Reduction of a carbon sink related to the sensitivity of heterotrophic respiration. *Agricultural and Forest Meteorology*.

van den Hurk, B., Ettema, J., & Viterbo, P. (2008). Analysis of soil moisture changes in Europe during a single growing season in a new ECMWF soil moisture assimilation system. *Journal of Hydrometeorology, 9*(1), 116-131.

Verger, A., Baret, F., & Weiss, M. (2008). Performances of neural networks for deriving LAI estimates from existing CYCLOPES and MODIS products. *Remote Sensing of Environment, 112*, 2789-2803.

Verstraete, M. M., Gobron, N., Aussedat, O., Robustelli, M., Pinty, B., Widlowski, J. L., & Taberner, M. (2008). An automatic procedure to identify key vegetation phenology events using the JRC-FAPAR products. *Advances in Space Research, 41*(11), 1773-1783.

Wallens, S. (2008). *Modelisation des emissions de composes organiques volatils par la vegetation.* University of Brussels, Brussels.

Wang, W., Liang, S., & Meyers, T. (2008). Validating MODIS land surface temperature products using long-term nighttime ground measurements. *Remote Sensing of Environment, 112*(3), 623-635.

Ward, P. J. (2008). *Simulating discharge and sediment yield characteristics in the Meuse basin during the late Holocene and 21st Century.*

Weber, U., Jung, M., Reichstein, M., Beer, C., Braakhekke, M., Lehsten, V., Ghent, D., Kaduk, J., Viovy, N., & Ciais, P. (2008). The inter-annual variability of Africa's ecosystem productivity: a multi-model analysis. *Biogeosciences Discuss, 5*, 4035-4069.

Winkler, H., Formenti, P., Esterhuyse, D. J., Swap, R. J., Helas, G., Annegarn, H. J., & Andreae, M. O. (2008). Evidence for large-scale transport of biomass burning aerosols from sunphotometry at a remote South African site. *Atmospheric Environment, 42*(22), 5569-5578.

Xiao, C. Y., Hu, X., & Tian, J. H. (2008). Estimation of net ecosystem carbon exchange for the conterminous United States by combining MODIS and AmeriFlux data. *Agricultural and Forest Meteorology, 148*, 1827-1847.

Xu, J., Yang, D., Yi, Y., Lei, Z., Chen, J., & Yang, W. (2008). Spatial and temporal variation of runoff in the Yangtze River basin during the past 40 years. *Quaternary International, 186*(1), 32-42.

Yi, C., Anderson, D. E., Turnipseed, A. A., Burns, S. P., Sparks, J. P., Stannard, D. I., & Monson, R. K. (2008). THE CONTRIBUTION OF ADVECTIVE FLUXES TO NET ECOSYSTEM EXCHANGE IN A HIGH-ELEVATION, SUBALPINE FOREST. *Ecological Applications, 18*(6), 1379-1390.

Yuan, F., Arain, M. A., Barr, A. G., Black, T. A., Bourque, C. P. A., Coursolle, C., Margolis, H. A., McCaughey, J. H., & Wofsy, S. C. (2008). Modeling analysis of primary controls on net ecosystem productivity of seven boreal and temperate coniferous forests across a continental transect. *Global Change Biology*(14), 1765-1784.

Zhang, C., & Guo, X. (2008). Monitoring northern mixed prairie health using broadband satellite imagery. *International Journal of Remote Sensing, 29*(8), 2257-2271.

Zhang, Q., Middleton, E. M., Margolis, H. A., Drolet, G. G., Barr, A. A., & Black, T. A. (2009). Can a satellite-derived estimate of the fraction of PAR absorbed by chlorophyll (FAPARchl) improve predictions of light-use efficiency and ecosystem photosynthesis for a boreal aspen forest? *Remote Sensing of Environment, 113*(4), 880-888.

Zhang, Y., Wang, S., Barr, A. G., & Black, T. A. (2008). Impact of snow cover on soil temperature and its simulation in a boreal aspen forest. *Cold Regions Science and Technology, 52*(3), 355-370.

Zhang, Y. Q., Yu, Q., Jiang, J., & Tang, Y. H. (2008). Calibration of Terra/MODIS gross primary production over an irrigated cropland on the North China Plain and an alpine meadow on the Tibetan Plateau. *Global Change Biology, 14*(4), 757-767.

Zheng, T., Liang, S., & Wang, K. (2008). Estimation of incident photosynthetically active radiation from GOES visible imagery. *Journal of Applied Meteorology and Climatology, 47*, 853-868.

Zhou, T., & Luo, Y. Q. (2008). Spatial patterns of ecosystem carbon residence time and NPP-driven carbon uptake in the conterminous United States. *Global Biogeochemical Cycles, 22*(3).

Zhou, X. L., Peng, C. H., Dang, Q. L., Sun, J. F., Wu, H. B., & Hua, D. (2008). Simulating carbon exchange in Canadian Boreal forests I. Model structure, validation, and sensitivity analysis. *Ecological Modelling, 219*(3-4), 287-299.

Zobitz, J. M., Moore, D. J. P., Sacks, W. J., Monson, R. K., Bowling, D. R., & Schimel, D. S. (2008). Integration of Process-based Soil Respiration Models with Whole-Ecosystem CO 2 Measurements. *Ecosystems, 11*(2), 250-269.